

| Notice of Allowability | Application No. | Applicant(s) |
|--|--|------------------|
| | 10/678,335 | WILKERSON ET AL. |
| | Examiner | Art Unit |
| | Chanda L. Harris | 3714 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to <u>correspondence filed on 2/28/05.</u> | | |
| 2. The allowed claim(s) is/are 1-15 and 17-23. | | |
| 3. The drawings filed on are accepted by the Examiner. | | |
| 4. | | |
| (a) ☑ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) ☐ hereto or 2) ☒ to Paper No./Mail Date <u>11/3/04</u> . | | |
| (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of | | |
| each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material | 6. ☐ Interview Sumr Paper No./Ma 98), 7. ☑ Examiner's Am | il Date |
| | | |

Art Unit: 3714

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Risto A. Rinne, Jr. on 4/19/05.

The application has been amended as follows:

- Claim 1, line 1: Replace "A product for determining empathy" with
 - -- A product embodied on a computer-readable medium for determining empathy --.
- Claim 8, line 7: Replace "unique value" with -- value --.
- Claim 14, line 2: Replace "participant" with -- participants --.
- Replace Claim 22 with:
 - -- The system of claim 3 further comprising a third party means for referring a customer of a third party to subscribe to said system. --
- Abstract: Delete lines 16-19 beginning with "Software is provided..."

These changes were made to place the invention within the statutory classes of invention, to correct minor informalities, to further clarify the invention as claimed, and to place the Abstract within the maximum number of words allowed.

Art Unit: 3714

Reasons for Allowance

The following is an examiner's statement of reasons for allowance: The prior art does not teach or fairly suggest means for mathematically comparing at least two answers either from said first set of answers to said fourth set of answers or from said second set of answers to said third set of answers sufficient to produce a numerical result that is representative of an average difference in the absolute value between said at least two answers, and wherein said average difference includes an empathy index for said topic and means for providing said empathy index to said first participant and to said second participant (Claim 1). The prior art does not teach means for comparing at least two of the sets of answers to establish a difference between an absolute value that is assigned to each answer for each question and wherein said means for comparing is configured to average said absolute value for a plurality of questions, and wherein said absolute value for a plurality of questions includes an empathy index, said empathy index providing an indication of either how well said first participant understands an aspect of said second participant appertaining to at least one topic covered by said questions or how well said second participant understands an aspect of said first participant appertaining to said at least one topic covered by said questions (Claim 3).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/678,335

Art Unit: 3714

Page 4

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chanda L. Harris whose telephone number is 571-272-4448. The examiner can normally be reached on M-F 6:30am-4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jessica Harrison can be reached on 571-272-4449. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Manda X , Hall Chanda L. Harris Primary Examiner Art Unit 3714